



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 40/1S | Curve N°: 15584 | Rev.:00 |
| ITEM: | Power [Kw]: | |
| Project: | 1450 RPM | |




US G.P.M.

20
|

30
|

40
|

50
|




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 50/1S | Curve N°: 15583 | Rev.:00 |
| ITEM: | Power [Kw]: | |
| Project: | 1450 RPM | |

US G.P.M.






MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 65/1S | Curve N°: 15527 | Rev.:02 |
| ITEM: | Power [Kw]: | |
| Project: | 1450 RPM | |

US G.P.M.

70 80 90 100 110 120 130 140 150




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 40/1S | Curve N°: 15587 | Rev.:00 |
| ITEM: | Power [Kw]: | |
| Project: | 1750 RPM | |

US G.P.M.




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 50/1S | Curve N°: 15586 | Rev.:00 |
| ITEM: | Power [Kw]: | |
| Project: | 1750 RPM | |

US G.P.M.






MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



| Pump performance data | | |
|-----------------------|-----------------|---------|
| MODEL: SCE 65/1S | Curve N°: 15585 | Rev.:00 |
| ITEM: | Power [Kw]: | |
| Project: | 1750 RPM | |

US G.P.M.

90 100 110 120 130 140 150 160 170 180



MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE